

DMR Copy of Record

Form Approved OMB No. 2040-0004 expires on 07/31/2026

EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business cell phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submitters to contact the [NPDES eReporting Help Desk](#) for further guidance. Please note that EPA may contact you after you submit the report for more information.

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control Number 2010-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(l)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not provide the completed form to this address.

Value NODI											
00610	Nitrogen, ammonia total [as N]	1 - Effluent Gross	1	--	Sample = 52.7	= 130.8	26 - lb/d	= 0.5	= 1.6	19 - mg/L	01/07 - Weekly
					Permit Req. <= 191.0 MO AVG	<= 633.0 DAILY MX	26 - lb/d	<= 2.7 MO AVG	<= 8.93 DAILY MX	19 - mg/L	01/07 - Weekly
					Value NODI						24 - 24 Hour Composite
00625	Nitrogen, Kjeldahl, total [as N]	1 - Effluent Gross	0	--	Sample			= 0.5	= 0.5	19 - mg/L	01/30 - Monthly
					Permit Req.			Req Mon MO AVG	Req Mon DAILY MX	19 - mg/L	01/30 - Monthly
					Value NODI						24 - 24 Hour Composite
00630	Nitrite + Nitrate total [as N]	1 - Effluent Gross	0	--	Sample			= 15.3	= 15.3	19 - mg/L	01/30 - Monthly
					Permit Req.			Req Mon MO AVG	Req Mon DAILY MX	19 - mg/L	01/30 - Monthly
					Value NODI						24 - 24 Hour Composite
00665	Phosphorus, total [as P]	G - Raw Sewage Influent	0	--	Sample			= 4.1	= 5.9	19 - mg/L	01/30 - Monthly
					Permit Req.			Req Mon MO AVG	Req Mon WKLY AVG	19 - mg/L	01/30 - Monthly
					Value NODI						24 - 24 Hour Composite
00671	Phosphate, ortho, dissolved [as P]	1 - Effluent Gross	0	--	Sample			= 1.2	= 4.3	19 - mg/L	01/30 - Monthly
					Permit Req.			Req Mon MO AVG	Req Mon DAILY MX	19 - mg/L	01/30 - Monthly
					Value NODI						24 - 24 Hour Composite
00681	Carbon, dissolved organic [as C]	P - See Comments	0	--	Sample			= 5.6	= 5.6	19 - mg/L	01/30 - Monthly
					Permit Req.			Req Mon MO AVG	Req Mon DAILY MX	19 - mg/L	01/30 - Monthly
					Value NODI						24 - 24 Hour Composite
00900	Hardness, total [as CaCO3]	P - See Comments	0	--	Sample			= 178.8	= 178.8	19 - mg/L	01/30 - Monthly
					Permit Req.			Req Mon MO AVG	Req Mon DAILY MX	19 - mg/L	01/30 - Monthly
					Value NODI						24 - 24 Hour Composite
01119	Copper, total recoverable	P - See Comments	1	--	Sample			= 6.0	= 6.0	28 - ug/L	01/30 - Monthly
					Permit Req.			Req Mon MO AVG	Req Mon DAILY MX	28 - ug/L	01/30 - Monthly
					Value NODI						24 - 24 Hour Composite
31648	E. coli, MTEC-MF	1 - Effluent Gross	0	--	Sample			= 1.0	= 1.0	13 - #/100mL	10/30 - Ten Per Month
					Permit Req.			<= 126.0 MO GEOMN	<= 406.0 INST MAX	13 - #/100mL	01/30 - Ten Per Month
					Value NODI						GR - Grab
45613	Floating solids, waste or visible foam-visual	Q - See Comments	0	--	Sample = 0.0	GP - N=0;Y=1					01/30 - Monthly
					Permit Req. <= 0.0 MO MAX	GP - N=0;Y=1					VI - Visual
					Value NODI						01/30 - Monthly
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	--	Sample = 9.7	= 10.0	03 - MGD				99/99 - Continuous
					Permit Req. Req Mon MO AVG	Req Mon DAILY MX	03 - MGD				RC - Recorder (auto)
					Value NODI						01/30 - Monthly
81010	BOD, 5-day, percent removal	K - Percent Removal	0	--	Sample			= 97.7		23 - %	01/30 - Monthly
					Permit Req.			>= 85.0 MO AV MN		23 - %	01/30 - Monthly
					Value NODI						CA - Calculated
81011	Solids, suspended percent removal	K - Percent Removal	0	--	Sample			= 98.6		23 - %	01/30 - Monthly
					Permit Req.			>= 85.0 MO AV MN		23 - %	01/30 - Monthly
					Value NODI						CA - Calculated

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

CALDWELL, CITY OF

User: AABERCROMBIE@CITYOFCALDWELL.ORG
Name: Andrew Abercrombie
E-Mail: aabercrombie@cityofcaldwell.org
Date/Time: 2025-09-15 06:44 (Time Zone: -06:00)

Report Last Signed By

User: AABERCROMBIE@CITYOFCALDWELL.ORG
Name: Andrew Abercrombie
E-Mail: aabercrombie@cityofcaldwell.org
Date/Time: 2025-09-15 06:52 (Time Zone: -06:00)