

DMR Copy of Record

Form Approved OMB No. 2040-0004 expires on 07/31/2026

EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business cell phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submitters to contact the [NPDES eReporting Help Desk](#) for further guidance. Please note that EPA may contact you after you submit this report for more information.

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(l)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

Permit																		
Permit #:	ID0021504			Permittee:	CALDWELL, CITY OF			Facility:	CALDWELL, CITY OF - CALDWELL WWTP									
Major:	Yes			Permittee Address:	621 E. CLEVELAND BLVD (MAILING ADDRESS) CALDWELL, ID 83605			Facility Location:	208 JOHNSON LANE CALDWELL, ID 83605									
Permitted Feature:	REC External Outfall			Discharge:	REC-A Boise River, Upstream													
Report Dates & Status																		
Monitoring Period:	From 11/01/25 to 11/30/25			DMR Due Date:	12/20/25			Status:	NetDMR Validated									
Considerations for Form Completion																		
Permit Part I.E. lists samples to be taken on the same day.																		
Principal Executive Officer																		
First Name:	David			Title:	WW Superintendent			Telephone:	208-477-4605									
Last Name:	Harmon																	
No Data Indicator (NODI)																		
Form NODI:	--																	
Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading			Quality or Concentration				# of Ex	Frequency of Analysis	Sample Type				
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1				Qualifier 2	Value 2	Qualifier 3	Value 3
00010	Temperature, water deg. centigrade	5 - Upstream Monitoring	0	--	Sample				=	10.7	=	13.2	04 - deg C	0	99/99 - Continuous	RC - Recorder (auto)		
					Permit Req.					Req Mon MO AVG		Req Mon INST MAX			04 - deg C		99/99 - Continuous	RC - Recorder (auto)
					Value NODI													
00061	Stream flow, instantaneous	5 - Upstream Monitoring	0	--	Sample				=	476.0			08 - cfs	0	01/07 - Weekly	GR - Grab		
					Permit Req.					Req Mon INST MIN					08 - cfs		01/07 - Weekly	GR - Grab
					Value NODI													
00070	Turbidity	5 - Upstream Monitoring	0	--	Sample				=	4.5			43 - NTU	0	01/07 - Weekly	GR - Grab		
					Permit Req.						Req Mon INST MAX				43 - NTU		01/07 - Weekly	GR - Grab
					Value NODI													
00300	Oxygen, dissolved [DO]	5 - Upstream Monitoring	0	--	Sample				=	9.1			19 - mg/L	0	01/30 - Monthly	GR - Grab		
					Permit Req.					Req Mon INST MIN			19 - mg/L			01/30 - Monthly	GR - Grab	
					Value NODI													
00310	BOD, 5-day, 20 deg. C	5 - Upstream Monitoring	0	--	Sample				=	2.8			19 - mg/L	0	01/30 - Monthly	GR - Grab		
					Permit Req.						Req Mon INST MAX		19 - mg/L			01/30 - Monthly	GR - Grab	
					Value NODI													
00400	pH	5 - Upstream Monitoring	0	--	Sample				=	7.9			12 - SU	0	01/07 - Weekly	GR - Grab		
					Permit Req.					Req Mon INST MIN			Req Mon INST MAX			01/07 - Weekly	GR - Grab	
					Value NODI													
00600	Nitrogen, total [as N]	5 - Upstream Monitoring	0	--	Sample				=	3.2			19 - mg/L	0	01/30 - Monthly	GR - Grab		
					Permit Req.						Req Mon INST MAX		19 - mg/L			01/30 - Monthly	GR - Grab	
					Value NODI													
00665	Phosphorus, total [as P]	5 - Upstream Monitoring	0	--	Sample				=	130.0			28 - ug/L	0	01/30 - Monthly	GR - Grab		
					Permit Req.						Req Mon INST MAX		28 - ug/L			01/30 - Monthly	GR - Grab	
					Value NODI													
32230	Chlorophyll A	5 - Upstream Monitoring	0	--	Sample				<	0.01			28 - ug/L	0	01/30 - Monthly	GR - Grab		
					Permit Req.						Req Mon INST MAX		28 - ug/L			01/30 - Monthly	GR - Grab	
					Value NODI													

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

[Edit Check Errors](#)

No errors.

Comments

done

Attachments

No attachments.

[Report Last Saved By](#)

CALDWELL, CITY OF

User:	DHARMON@CITYOFCALDWELL.ORG
Name:	David Harmon
E-Mail:	dharmon@cityofcaldwell.org
Date/Time:	2025-12-19 07:49 (Time Zone: -07:00)

[Report Last Signed By](#)

User:	DHARMON@CITYOFCALDWELL.ORG
Name:	David Harmon
E-Mail:	dharmon@cityofcaldwell.org
Date/Time:	2025-12-19 07:50 (Time Zone: -07:00)