

EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business cell phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submitters to contact the [NPDES eReporting Help Desk](#) for further guidance. Please note that EPA may contact you after you submit this report for more information.

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(l)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

<b>Permit</b>			
<b>Permit #:</b>	<b>ID0021504</b>	<b>Permittee:</b>	CALDWELL, CITY OF
<b>Major:</b>	Yes	<b>Permittee Address:</b>	621 E. CLEVELAND BLVD (MAILING ADDRESS) CALDWELL, ID 83605
<b>Permitted Feature:</b>	REC External Outfall	<b>Discharge:</b>	<b>REC-A</b> Boise River, Upstream
<b>Facility:</b> CALDWELL, CITY OF - CALDWELL WWTP			
<b>Facility Location:</b> 208 JOHNSON LANE CALDWELL, ID 83605			
<b>Report Dates &amp; Status</b>			
<b>Monitoring Period:</b>	From 02/01/26 to 02/28/26	<b>DMR Due Date:</b>	03/20/26
<b>Status:</b>		NetDMR Validated	
<b>Considerations for Form Completion</b>			
Permit Part I.E. lists samples to be taken on the same day.			
<b>Principal Executive Officer</b>			
<b>First Name:</b>	Andrew	<b>Title:</b>	Assistant Superintendent
<b>Last Name:</b>	Abercrombie	<b>Telephone:</b>	208-504-9965
<b>No Data Indicator (NODI)</b>			
<b>Form NODI:</b>	--		

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type		
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units
00010	Temperature, water deg. centigrade	5 - Upstream Monitoring	0	--	Sample						=	7.3		=	10.2	04 - deg C	0	99/99 - Continuous	RC - Recorder (auto)
					Permit Req.											04 - deg C		99/99 - Continuous	RC - Recorder (auto)
					Value NODI														
00061	Stream flow, instantaneous	5 - Upstream Monitoring	0	--	Sample					=	464.0				08 - cfs	0	01/07 - Weekly	GR - Grab	
					Permit Req.												08 - cfs	01/07 - Weekly	GR - Grab
					Value NODI														
00070	Turbidity	5 - Upstream Monitoring	0	--	Sample								=	7.0	43 - NTU	0	01/07 - Weekly	GR - Grab	
					Permit Req.												43 - NTU	01/07 - Weekly	GR - Grab
					Value NODI														
00300	Oxygen, dissolved [DO]	5 - Upstream Monitoring	0	--	Sample					=	10.0				19 - mg/L	0	01/30 - Monthly	GR - Grab	
					Permit Req.												19 - mg/L	01/30 - Monthly	GR - Grab
					Value NODI														
00310	BOD, 5-day, 20 deg. C	5 - Upstream Monitoring	0	--	Sample								=	3.5	19 - mg/L	0	01/30 - Monthly	GR - Grab	
					Permit Req.												19 - mg/L	01/30 - Monthly	GR - Grab
					Value NODI														
00400	pH	5 - Upstream Monitoring	0	--	Sample					=	8.0			=	8.1	12 - SU	0	01/07 - Weekly	GR - Grab
					Permit Req.											12 - SU		01/07 - Weekly	GR - Grab
					Value NODI														
00600	Nitrogen, total [as N]	5 - Upstream Monitoring	0	--	Sample								=	3.1	19 - mg/L	0	01/30 - Monthly	GR - Grab	
					Permit Req.												19 - mg/L	01/30 - Monthly	GR - Grab
					Value NODI														
00665	Phosphorus, total [as P]	5 - Upstream Monitoring	0	--	Sample								=	170.0	28 - ug/L	0	01/30 - Monthly	GR - Grab	
					Permit Req.												28 - ug/L	01/30 - Monthly	GR - Grab
					Value NODI														
32230	Chlorophyll A	5 - Upstream Monitoring	0	--	Sample								=	0.01	28 - ug/L	0	01/30 - Monthly	GR - Grab	
					Permit Req.												28 - ug/L	01/30 - Monthly	GR - Grab
					Value NODI														

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

**Edit Check Errors**

No errors.

**Comments**

**Attachments**

No attachments.

**Report Last Saved By**

**CALDWELL, CITY OF**

User: AABERCROMBIE@CITYOFCALDWELL.ORG  
Name: Andrew Abercrombie  
E-Mail: aabercrombie@cityofcaldwell.org  
Date/Time: 2026-03-11 07:20 (Time Zone: -06:00)

**Report Last Signed By**

User: AABERCROMBIE@CITYOFCALDWELL.ORG  
Name: Andrew Abercrombie  
E-Mail: aabercrombie@cityofcaldwell.org  
Date/Time: 2026-03-11 07:25 (Time Zone: -06:00)