

EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business cell phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submitters to contact the [NPDES eReporting Help Desk](#) for further guidance. Please note that EPA may contact you after you submit this report for more information.

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(l)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

Permit #: ID0021504		Permittee: CALDWELL, CITY OF		Facility: CALDWELL, CITY OF - CALDWELL WWTP	
Major: Yes		Permittee Address: 621 E. CLEVELAND BLVD (MAILING ADDRESS) CALDWELL, ID 83605		Facility Location: 208 JOHNSON LANE CALDWELL, ID 83605	
Permitted Feature: REC External Outfall		Discharge: REC-B Boise River, Downstream			

Report Dates & Status		Monitoring Period: From 03/01/26 to 03/31/26		DMR Due Date: 04/20/26		Status: NetDMR Validated	
----------------------------------	--	---	--	-------------------------------	--	---------------------------------	--

Considerations for Form Completion
Permit Part I.E lists samples to be taken on the same day.

Principal Executive Officer		Title: Assistant Superintendent		Telephone: 208-504-9965	
First Name: Andrew					
Last Name: Abercrombie					

No Data Indicator (NODI)
Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type				
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units		
00010	Temperature, water deg. centigrade	6 - Downstream Monitoring	0	--	Sample						=	11.3		=	15.8	04 - deg C	0	99/99 - Continuous	RC - Recorder (auto)		
					Permit Req.											Req Mon MO AVG		Req Mon INST MAX	04 - deg C	99/99 - Continuous	RC - Recorder (auto)
					Value NODI																
00070	Turbidity	6 - Downstream Monitoring	0	--	Sample						=	7.5		=	7.5	43 - NTU	0	01/07 - Weekly	03 - 3 Hour Composite		
					Permit Req.											Req Mon INST MAX		43 - NTU	01/07 - Weekly	03 - 3 Hour Composite	
					Value NODI																
00400	pH	6 - Downstream Monitoring	0	--	Sample					=	7.5		=	8.0	12 - SU	0	01/07 - Weekly	03 - 3 Hour Composite			
					Permit Req.												Req Mon INST MIN	Req Mon INST MAX	12 - SU	01/07 - Weekly	03 - 3 Hour Composite
					Value NODI																
00600	Nitrogen, total [as N]	6 - Downstream Monitoring	0	--	Sample						=	5.5		=	5.5	19 - mg/L	0	01/30 - Monthly	03 - 3 Hour Composite		
					Permit Req.											Req Mon INST MAX		19 - mg/L	01/30 - Monthly	03 - 3 Hour Composite	
					Value NODI																
00665	Phosphorus, total [as P]	6 - Downstream Monitoring	0	--	Sample						=	0.1		=	0.1	28 - ug/L	0	01/30 - Monthly	03 - 3 Hour Composite		
					Permit Req.											Req Mon INST MAX		28 - ug/L	01/30 - Monthly	03 - 3 Hour Composite	
					Value NODI																
00900	Hardness, total [as CaCO3]	6 - Downstream Monitoring	0	--	Sample						=	10.1		=	10.1	19 - mg/L	0	01/30 - Monthly	03 - 3 Hour Composite		
					Permit Req.											Req Mon INST MAX		19 - mg/L	01/30 - Monthly	03 - 3 Hour Composite	
					Value NODI																
32230	Chlorophyll A	6 - Downstream Monitoring	0	--	Sample						=	0.01		=	0.01	28 - ug/L	0	01/30 - Monthly	03 - 3 Hour Composite		
					Permit Req.											Req Mon INST MAX		28 - ug/L	01/30 - Monthly	03 - 3 Hour Composite	
					Value NODI																

Submission Note
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors
No errors.

Comments

Attachments

No attachments.

Report Last Saved By

CALDWELL, CITY OF

User: AABERCROMBIE@CITYOFCALDWELL.ORG
Name: Andrew Abercrombie
E-Mail: aabercrombie@cityofcaldwell.org
Date/Time: 2026-04-14 09:24 (Time Zone: -06:00)

Report Last Signed By

User: AABERCROMBIE@CITYOFCALDWELL.ORG
Name: Andrew Abercrombie
E-Mail: aabercrombie@cityofcaldwell.org
Date/Time: 2026-04-14 09:29 (Time Zone: -06:00)