



78465	Molybdenum, sludge, total, dry weight [as Mo]	Q - See Comments	0	--	Sample	<	0.5	69 - mg/kg	01/YR - Annual	24 - COMP24
					Permit Req.			Req Mon INST MAX 69 - mg/kg	01/YR - Annual	24 - COMP24
					Value NODI					
78465	Molybdenum, sludge, total, dry weight [as Mo]	R - See Comments	0	--	Sample	<	0.5	69 - mg/kg	01/YR - Annual	24 - COMP24
					Permit Req.			Req Mon INST MAX 69 - mg/kg	01/YR - Annual	24 - COMP24
					Value NODI					
78467	Zinc, sludge, total, dry weight [as Zn]	P - See Comments	0	--	Sample	=	20.4	69 - mg/kg	01/YR - Annual	24 - COMP24
					Permit Req.			Req Mon INST MAX 69 - mg/kg	01/YR - Annual	24 - COMP24
					Value NODI					
78467	Zinc, sludge, total, dry weight [as Zn]	Q - See Comments	0	--	Sample	=	20.9	69 - mg/kg	01/YR - Annual	24 - COMP24
					Permit Req.			Req Mon INST MAX 69 - mg/kg	01/YR - Annual	24 - COMP24
					Value NODI					
78467	Zinc, sludge, total, dry weight [as Zn]	R - See Comments	0	--	Sample	=	20.8	69 - mg/kg	01/YR - Annual	24 - COMP24
					Permit Req.			Req Mon INST MAX 69 - mg/kg	01/YR - Annual	24 - COMP24
					Value NODI					
78469	Nickel, sludge, total, dry weight [as Ni]	P - See Comments	0	--	Sample	=	0.3	69 - mg/kg	01/YR - Annual	24 - COMP24
					Permit Req.			Req Mon INST MAX 69 - mg/kg	01/YR - Annual	24 - COMP24
					Value NODI					
78469	Nickel, sludge, total, dry weight [as Ni]	Q - See Comments	0	--	Sample	=	0.3	69 - mg/kg	01/YR - Annual	24 - COMP24
					Permit Req.			Req Mon INST MAX 69 - mg/kg	01/YR - Annual	24 - COMP24
					Value NODI					
78469	Nickel, sludge, total, dry weight [as Ni]	R - See Comments	0	--	Sample	=	0.3	69 - mg/kg	01/YR - Annual	24 - COMP24
					Permit Req.			Req Mon INST MAX 69 - mg/kg	01/YR - Annual	24 - COMP24
					Value NODI					
78471	Mercury, sludge, total, dry weight [as Hg]	P - See Comments	0	--	Sample	<	0.2	69 - mg/kg	01/YR - Annual	24 - COMP24
					Permit Req.			Req Mon INST MAX 69 - mg/kg	01/YR - Annual	24 - COMP24
					Value NODI					
78471	Mercury, sludge, total, dry weight [as Hg]	Q - See Comments	0	--	Sample	<	0.2	69 - mg/kg	01/YR - Annual	24 - COMP24
					Permit Req.			Req Mon INST MAX 69 - mg/kg	01/YR - Annual	24 - COMP24
					Value NODI					
78471	Mercury, sludge, total, dry weight [as Hg]	R - See Comments	0	--	Sample	<	0.2	69 - mg/kg	01/YR - Annual	24 - COMP24
					Permit Req.			Req Mon INST MAX 69 - mg/kg	01/YR - Annual	24 - COMP24
					Value NODI					
78475	Copper, sludge, total, dry weight [as Cu]	P - See Comments	0	--	Sample	=	7.9	69 - mg/kg	01/YR - Annual	24 - COMP24
					Permit Req.			Req Mon INST MAX 69 - mg/kg	01/YR - Annual	24 - COMP24
					Value NODI					
78475	Copper, sludge, total, dry weight [as Cu]	Q - See Comments	0	--	Sample	=	8.1	69 - mg/kg	01/YR - Annual	24 - COMP24
					Permit Req.			Req Mon INST MAX 69 - mg/kg	01/YR - Annual	24 - COMP24
					Value NODI					
78475	Copper, sludge, total, dry weight [as Cu]	R - See Comments	0	--	Sample	=	7.6	69 - mg/kg	01/YR - Annual	24 - COMP24
					Permit Req.			Req Mon INST MAX 69 - mg/kg	01/YR - Annual	24 - COMP24
					Value NODI					
78476	Cadmium, sludge, total, dry weight [as Cd]	P - See Comments	0	--	Sample	=	0.6	69 - mg/kg	01/YR - Annual	24 - COMP24
					Permit Req.			Req Mon INST MAX 69 - mg/kg	01/YR - Annual	24 - COMP24
					Value NODI					
78476	Cadmium, sludge, total, dry weight [as Cd]	Q - See Comments	0	--	Sample	=	0.6	69 - mg/kg	01/YR - Annual	24 - COMP24
					Permit Req.			Req Mon INST MAX 69 - mg/kg	01/YR - Annual	24 - COMP24
					Value NODI					
78476	Cadmium, sludge, total, dry weight [as Cd]	R - See Comments	0	--	Sample	=	0.6	69 - mg/kg	01/YR - Annual	24 - COMP24
					Permit Req.			Req Mon INST MAX 69 - mg/kg	01/YR - Annual	24 - COMP24
					Value NODI					

#### Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

#### Edit Check Errors

No errors.

#### Comments

#### Attachments

No attachments.

#### Report Last Saved By

CALDWELL, CITY OF

User: RHENSON@CITYOFCALDWELL.ORG  
Name: Roy Henson  
E-Mail: rhenson@cityofcaldwell.org  
Date/Time: 2019-04-22 12:11 (Time Zone: -06:00)

#### Report Last Signed By

User: SARREOLA@CITYOFCALDWELL.ORG  
Name: Salvador Arreola

E-Mail: sarreola@cityofcaldwell.org  
Date/Time: 2019-04-22 14:20 (Time Zone: -06:00)